



SPC FLOORING

8mm+8.5mm+9.5mm Series




8.5mm Thickness Stock Color Films

1220x180x8.5mm



SPC FLOOR STRUCTURE DIAGRAM (8.0MM THICKNESS)

- 1 **Double UV coating**
Wear-resistant, high-temperature resistant, antifouling
- 2 **Wear-resistant layer**
Protect the floor decor texture from wear for a long time
- 3 **Color film**
Clear color film image, natural and smooth texture lines
- 4 **SPC core**
Ensure that the floor size is stable and not easy to deform



SPC FLOOR STRUCTURE DIAGRAM (9.5MM THICKNESS)

- 1 **Double UV coating**
Wear-resistant, high-temperature resistant, antifouling
- 2 **Wear-resistant layer**
Protect the floor decor texture from wear for a long time
- 3 **Color film**
Clear color film image, natural and smooth texture lines
- 4 **SPC core**
Ensure that the floor size is stable and not easy to deform
- 5 **Equilibrium layer**
Stable performance, preventing floor tile from changing



■ ADVANTAGES OF FLOORING ■



Flame retardant



Formaldehyde Free



100% Waterproof



Easy To Install



Wear Resistant



Easy To Clean



Anti-Slippery



Pet Scratch Prevention



Reduce Noise

07

8.5MM THICKNESS STOCK COLOR FILMS

Size: 1220mm*180mm Thickness:8.5mm



Color model

KMG8501



Color model

KMG8502



Color model

KMG8503



Color model

KMG8505



Color model

KMG8506



Color model

KMG8508



Color model

KMG8509



Color model

KMG8510

Size: 1220mm*180mm

Thickness: 8.5mm



 *Color model*

KMG8511

Size: 1220mm*180mm

Thickness: 8.5mm

8mm+9.5mm Series

1476x203x8mm


1820x228x9.5mm



Model: HYB-95001 Size: 1820x228x7.5+2/50丝



Model: HYB-95003 Size: 1820x228x7.5+2/50丝






Model: HYB 95004 Size: 1820x228x7.5+2/50丝



Model: HYB-95005 Size: 1820x228x7.5+2/50丝







Model: HYB-95006 Size: 1820x228x7.5+2/50丝



Model: HYB-95007 Size: 1820x228x7.5+2/50丝





Model: 5027-1
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 6041-7
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 6055-3
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 6191-20
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 6607-2
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 9661
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 9667
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 88065-1
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 99065L-002
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: 88068-7
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: SH5004-3
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: SH124-7
Size: 1476x203
Thickness: 6.5+1.5=8mm



Model: YF14-2
Size: 1476x203
Thickness: 6.5+1.5=8mm

Thickened Herringbone Splicing

9.5mm



95001



95002



95003



95004



95005



95006

SPC Stone Crystal Formaldehyde Free Floor

1220x230x8mm



型号 8601
(现货厚度)4.2mm-5.0mm-6.0mm-8.0mm



8601
1220x230x8mm



型号 8602
(现货厚度)4.2mm-5.0mm-6.0mm-8.0mm



8602
1220x230x8mm



8603
1220x230x8mm



型号 8604
规格1220×230×8.0MM



8604
1220x230x8mm



8605
1220x230x8mm



8606
1220x230x8mm

SPC 8.0MM STONE CRYSTAL FORMALDEHYDE FREE FLOOR



8607
1220x230x8mm



8608
1220x230x8mm